



7. BIBLIOGRAFÍA

- **Alió Sanz JL, Ruiz Moreno JM.** Microcirugía del cristalino en la alta miopía. Arch. Soc Esp Oftalmol 1991; 60: 1 - 30.
- **Alió JL, Ismail NM, Artola A.** Laser epithelium removal before photorefractive keratectomy. Refract Corneal Surg 1993; 9: 395.
- **Alió JL, De la Hoz F, Ismail MM.** Subclinical inflammatory reaction induced by phakic anterior chamber lenses for the correction of high myopia. Ocular Immunol Inflam 1993; 1: 219 - 223.
- **Alió Sanz JL, Ruiz Moreno JM, Artola Roig A.** Retinal detachment as a potential hazard in surgical correction of severe myopia with phakic anterior chamber lenses. Am J Ophthalmol 1993; 115: 145 - 148.
- **Alió JL, Pérez-Santonja JJ, Tervo T, Tabarra KF, Vesaluoma M, Smith RJ, Maddox B, Maloney RK.** Postoperative inflammation, microbial complications and wound healing following laser in situ keratomileusis. J Refract Surg 2000; 16: 523 -538.
- **Alió JL, Salem TF, Mulet ME, Javaloy J, Vidal MT.** Hidden side of LASIK: a confocal microscopy study. Invest Ophthalmol Vis Sci 2001; 42: S495.
- **Alió JL, Artola A, Attia WH, Salem TF, Pérez-Santonja JJ, Ayala MJ, Claramonte P, Ruiz-Moreno JM.** Laser in situ keratomileusis for treatment of residual myopia after photorefractive keratectomy. Am J Ophthalmol 2001; 132: 196 - 203.

- **Alió JL, Belda JI, Shalaby AM.** Correction of irregular astigmatism with excimer laser assisted by sodium hyaluronate. Ophthalmology 2001; 108: 1246 - 1260.
- **Alió JL, Mulet ME, Shalaby AM.** Artisan phakic iris claw intraocular lens for high primary and secondary hyperopia. J Refract Surg 2002; 18: 697 - 707.
- **Alió JL, Salem TF, Javaloy J, Mulet ME.** Aberration Controlled Refractive Surgery: The Two Step Zar Technique. Invest Ophthalmol Vis Sci 2002; 43: S2057.
- **Alió JL, Belda JI, Osman AO, Shalaby AM.** Topography-guided Laser in situ keratomileusis (Topolink) to correct irregular astigmatism after previous refractive surgery. J Refract Surg 2003; 19 (en prensa).
- **Ambrosio R, Klyce SD, Wilson SE.** Corneal topographic and pachymetric screening of keratorefractive patients. J Refract Surg 2003; 19: 24 ó 29.
- **Amoils SP, Deist MB, Gous P, Amoils PM.** Iatrogenic keratectasia after laser in situ keratomileusis for less than ó 4.0 to ó 7.0 diopters of myopia. J Cataract Refract Surg 2000; 26: 967 ó 977.
- **Anderson NJ, Beran RF, Schneider TL.** Epi-LASEK for the correction of myopia and myopic astigmatism. J Cataract Refract Surg 2002; 28: 1343 - 1347.

- **Anera R, Jiménez JR, Jiménez del barco L, Bermúdez J, Hita E.** Changes in corneal asphericity after laser in situ keratomileusis. *J Cataract Refract Surg* 2003; 29: 762 ó 768.
- **Anhalt, GJ, Jampel HD, Patel HB, Diaz LA, Jabs DA, Mutasim DF.** Bullous pemphigoid antibodies are markers of corneal epithelial hemidesmosomes. *Invest Ophthalmol Vis Sci*, 1987; 28: 903 - 907.
- **Apple AJ, Kinkaid MC, Mamalis N, Olson RJ.** Intraocular lenses. Evolution, Designs and Pathology. William Wikins (ed). Baltimore, 1989; 13: 374 - 375.
- **Arffa R.C.** Grayson: Enfermedades de la córnea. St. Louis: Mosby-Year Book, Inc., 1992.
- **Arne JL, Lesueur LC.** Phakic posterior chamber lenses for high myopia: Functional and anatomical outcomes. *J. Catarat Refract Surg* 2000; 26: 369 - 374.
- **Arrowsmith PN, Mark RG.** Evaluating the predictability of radial keratotomy. *Ophthalmology* 1985; 92: 331 - 338.
- **Arshinoff SA, Mills MD, Haber S.** Pharmacotherapy of photorefractive keratectomy. *J Cataract Refract Surg* 1996; 22: 1037 - 1044.
- **Artal P, Marcos S, Iglesias I, Green DG.** Optical modulations transfer and contrast sensitivity with decentered small pupils in the human eye. *Vision Res* 1996 ; 36: 3575 - 3586.

- **Artola A, Claramonte PJ, Ayala, MJ.** Complicaciones de la queratectomía fotorrefractiva miópica con láser excimer en 3000 casos. Arch Soc Esp Oftalmol 1997; 72: 573 - 580.
- **Artola A, Ayala MJ, Claramonte P, Pérez-Santonja JJ, Alió JL.** Photorefractive keratectomy for residual myopia after cataract surgery. J Cataract Refract Surg 1999; 25: 1456 - 1460.
- **Artola A, Ayala MJ, Pérez-Santonja JJ, Salem TF, Muñoz G, Alió JL** Haze after laser in situ keratomileusis in eyes with previous photorefractive keratectomy. J Cataract Refract Surg 2001; 27: 1880 - 1883.
- **Attia W, Pérez-Santonja JJ, Alió JL.** Laser in situ keratomileusis for recurrent hyperopia following laser thermal keratoplasty. J Refract Surg 2000; 16: 163 ó 169.
- **Attia WH, Alió JL, Artola A, Munoz G, Shalaby AM.** Laser in situ keratomileusis for undercorrection and overcorrection after radial keratotomy. J Cataract Refract Surg 2001; 27: 267 - 272.
- **Ayala MJ, Pérez-Santonja JJ, Artola A, Claramonte P, Alió JL.** Laser in situ keratomileusis to correct residual myopia after cataract surgery. J Refract Surg 2001; 17: 12 - 16.
- **Avitabile T, Marano F, Uva MG, Reibaldi A.** Evaluation of central and peripheral corneal thickness with ultrasound biomicroscopy in normal and keratoconic eyes. Cornea 1997; 16: 639 - 644.
- **Baek SH, Chang JH, Choi SY, Kim WJ, Lee JH.** The effect of topical corticosteroids on refractive outcome and corneal haze after photorefractive keratectomy. J Refract Surg 1997; 13: 644 - 652.

- **Baikoff, G.** Phakic anterior chamber intraocular lenses. Int Ophthalmol Clin 1991; 31: 76 - 86.
- **Baldwinn HC, Marshall J.** Growth factors in corneal wound healing following refractive surgery: A review. Acta Ophthalmol Scand 2002; 8: 238 - 247.
- **Balestrazzi E, De Molfetta V, Spadea L, Vinciguerra P, Palmieri G, Santeusanio G, Spagnoli L.** Histological, immunohistochemical, and ultrastructural findings in human corneas after photorefractive keratectomy. J Refract Surg, 1995; 11: 181 - 187.
- **Barraquer JI.** Keratomileusis for the correction of myopia. Arch Soc Am Optom 1964; 5: 27 - 48.
- **Barraquer J.** Precrystalline posterior chamber intraocular lens for surgical correction of severe myopia. Am J Ophthalmol 1999; 128: 232 - 234.
- **Bates WH.** A suggestion of an operation to correct astigmatism. Arch Ophthalmol 1894; 23: 9 - 13.
- **Behrens A, Langenbucher A, Kus MM, Rummelt C, Seitz B.** Experimental evaluation of two current-generation automated microkeratomes: the Hansatome and the Supratome. Am J Ophthalmol 2000; 129: 59 & 67.
- **Belmonte J, Vidal MT, Muñoz B, Baeza M, Hernández F, Trigueros M.** Queratoplastia penetrante en queratitis bacteriana tras queratotomía radial. Ach Soc Esp Oftalmol 1996; 71: 293 - 302.

- **Bende T, Knegerowski M, Seiler T.** Photoablation in different ocular tissues performed with an Erbium -YAG laser. *Laser Light in Ophthalmology* 1989; 2: 263 - 269.
- **Berlau J, Becker H-H, Stave J, Oriwol C, Guthoff RF.** Depth and age-dependent distribution of keratocytes in healthy human corneas. *J Cataract Refract Surg* 2002; 28: 611 - 616.
- **Booranapong W, Malathum P, Slade SG.** Anatomic factors affecting microkeratome placement in laser in situ Keratomileusis. *J Cataract Refract Surg* 2000; 26: 1319 ó 1325.
- **Bour L, Apkarian P.** Selective broadband spatial frequency loss in contrast sensitivity functions. Comparison with a model based on optical transfer functions. *Invest Ophthalmol Vis Sci* 1996; 37: 2475 ó 2484.
- **Bourcier T, Borderie V, Forgez P, Lombet A, Rostene W, Laroche L.** In vitro effects of dexamethasone on human corneal keratocytes. *Invest Ophthalmol Vis Sci* 1999; 40: 1061 ó 1070.
- **Bourne WM.** Cellular changes in transplanted human corneas. *Cornea* 2001; 20: 560 - 569.
- **Boyde A.** Applications of Tandem scanning reflected light microscopy and three-dimensional imaging. *Ann N and Acad Sci* 1986; 483: 428 - 439.
- **Boxer Wachler BS, Huynh VN, El-Shiaty AF, Goldberg D.** Evaluation of corneal functional optical zone after laser in situ keratomileusis. *J Cataract Refract Surg* 2002; 28: 948 ó 953.

- **Brauweiler PH., Wehler, T, Busin M.** High incidence of cataract formation after implantation of a silicone posterior chamber lens in phakic, highly myopic eyes. Ophthalmology 1999; 106: 1651 ó 1655.
- **Bühren J, Baumeister M., Kohnen T.** Diffuse lamellar keratitis after laser in situ keratomileusis imaged by confocal microscopy. Ophthalmology 2001; 108: 1075 - 1081.
- **Buratto, L.** Considerations on clear lens extraction in high myopia. Eur J Implant Refract Surg 1991; 3: 221 - 226.
- **Buratto L, Ferrari M, Rama P.** Excimer laser intrastromal keratomileusis. Am J Ophthalmol 1992; 113: 291 - 295.
- **Buratto L, Brint S.** Preoperative surgical preparation In: Burrato L, Brint S, eds. LASIK, 2nd edition, Thorofare: SLACK incorporated, 1999, chapter 2: 15 ó 40.
- **Carlson KH, Carpel EF.** Epithelial folds following slippage of LASIK flap. Ophthalmic Surg Lasers 2000; 31: 435 ó 437.
- **Cardona Ausina C, Pérez Santonja JJ, Ayala Espinosa MJ, Claramonte Meseguer P, Artola Roig A, Alió JL.** Sensibilidad al contraste tras queratomileusis in situ con láser para miopía (LASIK-M). Arch Soc Esp Oftalmol 2000; 75: 541 - 546.
- **Casebeer JC, Kezirian GM.** Outcomes of espherocylinder treatments in the comprehensive refractive surgery LASIK study. Semin Ophthalmol 1998; 13: 71 ó 78.

- **Cavanagh HD, El-Agha MS, Petroll WM, Jester JV.** Specular microscopy, Confocal Microscopy, and Ultrasound Biomicroscopy. Diagnostic Tools of the Past Quarter Century. *Cornea* 2000; 19: 712 - 722.
- **Chiu A, Kaufman S, Beuerman RW, Ohta T, Soliman H, Kaufman HE.** Confocal microscopy in cornea guttata and fuchs endothelial dystrophy. *Br J Ophthalmol* 1999; 83: 185 - 189.
- **Chiu A, Kaufman S, Beuerman RW, Ohta T, Yaylali V, Kaufman HE.** Confocal microscopy in the iridocorneal endothelial syndrome. *Br J Ophthalmol* 1999; 83: 697 - 702.
- **Cho BJ, Djililian AR, Holland EJ.** Tandem scanning Confocal Microscopic analysis of differences between epithelial healing in limbal stem cell deficiency and normal corneal reepithelization in rabbits. *Cornea* 1998; 17: 68 - 73.
- **Ciancaglini M, Carpineto P, Doronzo E, Nobile M, Zuppardi E, Mastropasqua L.** Morphological evaluation of Schnyder's central crystalline dystrophy by confocal microscopy before and after phototherapeutic keratectomy. *J Cataract Refract Surg* 2001; 27: 1892 - 1895.
- **Ciancaglini M, Carpineto P, Zuppardi E, Nobile M, Doronzo E, Mastropasqua L.** In vivo confocal microscopy of patients with amiodarone-induced keratopathy. *Cornea* 2001; 20: 368 - 373.
- **Cintron Ch, Hong BS.** Heterogeneity of collagens in rabbit cornea: type IV collagen. *Invest Ophthalmol Vis Sci* 1988; 29: 760 - 766.
- **Cintron C, Covington HI, Kublin CL.** Morphologic analysis of proteoglycans in rabbit corneal scars. *Invest Ophthalmol Vis Sci* 1990; 31: 1789 - 1795.

- **Colin J, Robinet A..** Clear lensectomy and implantation of low-power posterior chamber intraocular lens for the correction of high myopia. *Ophthalmology* 1994; 101: 107 - 112.
- **Colin J, Cochener B, Savary G, Malet F, Holmes-Higgin D.** INTACS inserts for treating keratoconus. One year results. *Ophthalmology* 2001; 108: 1409 - 1414.
- **Corbett MC, Verma S, O'Brart DP, Oliver KM, Heacock G, Marshall J.** Effect of ablation profile on wound healing and visual performance 1 year after excimer laser photorefractive keratectomy. *Br J Ophthalmol* 1996; 80: 224 - 234.
- **Corbett MC, Prydal JI, Verna S, Oliver KM, Pande M, Marshall J.** An in vivo investigation of the structures responsible for corneal haze after photorefractive keratectomy and their effect on visual function. *Ophthalmology*, 1996; 103: 1366 - 1380.
- **Doughthy MJ.** On the evaluation of the corneal epithelial surface by scanning electron microscopy. *Optom Vis Sci* 1990; 67: 735 - 756.
- **Drexler W, Baumgartner A, Findl O, Hitzenberger CK, Sattmann H, Fercher AF.** Sub micrometer precision biometry of the anterior segment of the human eye. *Invest Ophthalmol Vis Sci* 1997; 38: 1304 - 1313.
- **Dua HS, Gomes JAP, Singh A.** Corneal epithelial Wound Healing: perspective. *Br J Ophthalmol* 1994; 78: 401 - 410.

- **Durairaj VD, Balentine J, Kouyoumdjian G, Tooze JA, Young D, Spivack L, Taravella MJ.** The predictability of corneal flap thickness and tissue laser ablation in laser in situ keratomileusis. *Ophthalmology* 2000; 107: 2140 - 2143.
- **Durrie DS, Lesher MP, Cavanaugh TB.** Classification of variable clinical response after photorefractive keratectomy for myopia. *J Refract Surg* 1995; 11: 341 - 347.
- **El Danasoury MA, El Maghraby A, Klyce SD, Mehrez K.** Comparation of photorefractive keratectomy with excimer laser in situ keratomileusis in correcting low miopía (from ó 2.0 to ó 5.50 diopters). A randomized study. *Ophthalmology* 1999; 106: 411 ó 421.
- **El Maghraby A, Salah T, Waring GO 3rd, Klyce S, Ibrahim O.** Ramdomized bilateral comparison of excimer laser in situ keratomileusis and photorefractive keratectomy for 2.50 to 8.00 diopters of myopia. *Ophthalmology*; 106: 447 ó 457.
- **Fagerholm P.** Wound healing after photorefractive keratectomy. *J Cataract Refract Surg* 2000; 26: 432 - 447.
- **Fakhry MA, Artola A, Belda JI, Ayala MJ, Alio JL.** Comparison of corneal pachymetry using ultrasound and Orbscan II. *J Cataract Refract Surg* 2002; 28: 248 ó 252.
- **Farah S, Azar D, Gurdal C, Wong J.** Laser in situ keratomileusis: literature review of a developing technique. *J Cataract Refract Surg* 1998; 24: 989 - 1006.

- **Feng Y, Varikooty J, Simpson T.** Diurnal variation of corneal and corneal epithelial thickness measured using Optical Coherence Tomography. *Cornea* 2001; 20: 480 - 483.
- **Fleming JF, Reynolds AE, Kilmer L.** The intrastromal corneal ring: Two cases in rabbits. *J Refract Surg* 1987; 28: 276 - 278.
- **Fogla R, Rao SK, Padmanabhan P.** Diffuse lamellar keratitis: Are meibomian secretion responsible? *J Cataract Refract Surg* 2001; 27: 493 - 495.
- **Fogla R, Rao SK, Padmanabhan P.** Keratectasia in 2 cases with pellucid marginal corneal degeneration after laser in situ keratomileusis. *J Cataract Refract Surg* 2003; 29: 788 ó 791.
- **Florakis GJ, Moazami G, Schubert H, Koester CJ, Auran JD.** Scanning slit confocal microscopy of fungal keratitis. *Arch Ophthalmol* 1997; 115: 1461 - 1463.
- **Foster FS, Pavlin CJ, Harasiewicz KA, Christopher DA, Turnbull DH.** Advances in ultrasound biomicroscopy *Ultrasound Med Biol* 2000; 26: 1 - 27.
- **Frueh BE, Cadez R, Bohnke M.** In vivo confocal microscopy after photorefractive keratectomy in humans. A prospective, long-term study. *Arch Ophthalmol* 1998; 116: 1425 - 1431.
- **Frueh B, Bohnke M.** In vivo confocal microscopy of Fleck Dystrophy. *Cornea* 1999; 18: 658 - 660.

- **Fukala V.** Surgical treatment of high degrees of myopia through aphakia. Graefes Arch Ophthalmol 1980; 36: 230 ó 244.
- **Gailitis RP, Lagzdins M.** Factors that affect corneal flap thickness with the Hansatome microkeratome. J Refract Surg 2002; 18: 439 - 443.
- **García-Hirschfeld J, López-Briones LG, Belmonte C.** Neurotrophic influences on corneal epithelial cells. Exp Eye Res 1994; 59: 597 - 605.
- **Geggel HS, Talley AR.** Delayed onset keratectasia following laser in situ keratomileusis. J Cataract Refract Surg 1999; 25: 582 - 586.
- **Giessler S, Duncker GI.** ORBSCAN pachymetry after LASIK is not reliable. J Refract Surg 2001; 17: 385 - 387.
- **Gimbel HV, Penno EE, van Westenbrugge JA, Ferensowicz M, Furlong MT.** Incidence and management of intraoperative and early postoperative complications in 1000 consecutive laser in situ keratomileusis cases. Ophthalmology 1998; 105: 1839 ó 1848.
- **Gipson I.K, Spurr-Michaud SJ, Tisdale AS.** Anchoring fibrils form a complex network in human and rabbit cornea. Invest Ophthalmol Vis Sci 1987; 28: 212 - 220.
- **Gokmen F, Jester JV, Petroll WM, McCulley JP, Cavanagh HD.** In vivo confocal microscopy through-focusing to measure corneal flap thickness after laser in situ keratomileusis. J Cataract Refract Surg 2002; 28: 962 ó 970.
- **Gordon A, Bogges EA, Molinari JF.** Variability of ultrasonic pachymetry. Optom Vis Sci 1990; 67: 162 - 165.

- **Gris O, Güell J, Müller A.** Keratomileusis update. *J Cataract Refract Surg* 1996; 22: 620 - 623.
- **Güell J, Müller A.** Laser in situ keratomileusis (LASIK) for myopia from ó7 to-18 diopters. *J Refract Surg* 1996; 12: 222 - 228.
- **Güell JL.** Complicaciones en LASIK: etiología y manejo terapéutico. Monografía de la Sociedad Española de Cirugía Ocular Implanto-refractiva. 1^a Edición. Tecnímedia Editorial S.L. SECOIR 2001.
- **Hahnel C, Somodi S, Weiss D, Guthoff R.** The keratocyte network of human cornea: a three-dimensional study using confocal laser scanning fluorescence microscopy. *Cornea* 2000; 19: 185 ó 193.
- **Hamill MB, Kohnen T.** Scanning electron microscopic evaluation of the surface characteristics of 4 microkeratome systems in human corneas. *J Cataract Refract Surg* 2002; 28: 328 - 336.
- **Hanna KD, Pouliquen Y, Waring GD, Savoldelli M, Cotter J, Morton K, Menasche M.** Corneal stromal wound healing in rabbits after 193-nm excimer laser surface ablation. *Arch Ophthalmol* 1989; 107: 895 - 901.
- **Hanna KD, Pouliquen Y, Savoldelli M.** Corneal wound healing in monkeys 18 months after excimer laserkeratomileusis. *Refract Corneal Surg* 1990; 6: 340 - 345.
- **Havenith MG, Cleutjens JPM, Beek C, Linden EVD, De Goeig AF, Bosman FT.** Human specific anti-Type IV collagen monoclonal antibodies, characterisation and immunohistochemical application. *Histochemistry* 1987; 87: 123.

- **Helena MC, Baerveldt F, Kim W-J, Wilson SE.** Keratocyte apoptosis after corneal surgery. *Invest Ophthalmol Vis Sci* 1998; 39: 276 - 283.
- **Hernández-Quintela E, Mayer F, Dighiero P, Briat B, Savoldelli M, Legeais JM, Renard G.** Confocal microscopy of cystic disorders of the corneal epithelium. *Ophthalmology* 1998; 105: 631 - 636.
- **Hirst LW, Yamauchi K, Enger C, Vogelpohl W, Whittington V.** Quantitative analysis of wide-field specular microscopy. Precision of sampling from the central corneal endothelium. *Invest Ophthalmol Vis Sci* 1989; 30 : 1972 - 1979.
- **Hodkin MJ, Lemos MM, Mc Donald MB, Holladay JT, Shahidi SH.** Near vision contrast sensitivity after photorefractive keratectomy. *J Cataract Refract Surg* 1997; 23: 192 - 195.
- **Holzer MP, Vargas LG, Sandoval HP, Vroman DT, Kasper TJ, Brown SJ, Aple DJ, Solomon KD.** Corneal flap complications in refractive surgery. Part 1: Development of an experimental animal model. *J Cataract Refract Surg* 2003; 29: 795 ó 802.
- **Holzer MP, Sandoval HP, Vargas LG, Kasper TJ, Vroman DT, Aple DJ, Solomon KD.** Corneal flap complications in refractive surgery. Part 2: Postoperative treatments of diffuse keratitis in an experimental animal model. *J Cataract Refract Surg* 2003; 29: 803 ó 807.
- **Holladay JT, Dudeja DR, Chang J.** Functional vision and corneal changes after laser in situ keratomileusis determined by contrast sensitivity, glare testing and corneal topography. *J Cataract Refract Surg* 1999; 25: 663 - 669.

- **Holladay JT, Janes JA.** Topographic changes in corneal asphericity and effective optical zone after laser in situ keratomileusis. J Cataract Refract Surg 2002; 28: 942 - 947.
- **Ismail MM.** Correction of hyperopia with intracorneal implants. J Cataract Refract Surg 2002 ; 28: 527 - 530.
- **Isager P, Guo S, Hjortdal JO, Ehlers N.** Endothelial cell loss after photorefractive keratectomy for myopia. Acta Ophthalmol Scand 1998; 76: 304 - 307.
- **Ishikawa T, Del Cerro M, Liang F, Nissim L, Aquavella, JV.** Corneal sensitivity and nerve regeneration after excimer laser ablation. Cornea 1994; 13: 225 - 231.
- **Iskander NG, Peters NT, Anderson Penno EE, Gimbel HV.** Postoperative complications in laser in situ keratomileusis. Curr Opin Ophthalmol 2000; 11: 273 ó 279.
- **Iskander NG, Anderson Penno E, Peters NT, Gimbel HV, Ferensowicz M.** Accuracy of Orbscan pachymetry measurements and DHG ultrasound pachymetry in primary laser in situ keratomileusis and LASIK enhancement procedures. J Cataract Refract Surg 2001; 27: 681 - 685.
- **Ivarsen A, Stultiens BAT, Moller-Pedersen T.** Validation of confocal microscopy through focusing for corneal sublayer pachymetry. Cornea 2002; 21: 700 - 704.
- **Jacobs JM, Taravella MJ.** Incidence of intraoperative flap complications in laser in situ keratomileusis. J Cataract Refract Surg 2002; 28: 23 ó 28.

- **Jiménez-Alfaro I, Míguel S, Bueno JL.** Clear lens extraction and implantation of negative power posterior chamber intraocular lenses to correct extreme myopia. *J Cataract Refract Surg* 1998; 24: 1310 ó 1316.
- **Kantelip, B.** Anatomie de l'épithélium cornéen. In: Rigal, D. L'épithélium cornéen; París: Masson; 1993: 8 - 23.
- **Kauffmann HE.** The correction of aphakia. *Am J Ophthalmol* 1980; 89: 1 - 10.
- **Kauffman T, Bodanowitz S, Hesse L, Kroll P.** Corneal re-innervation after photo refractive keratectomy and laser in situ keratomileusis. *Ger J Ophthalmol* 1997; 5: 513 - 517.
- **Kauffmann SC.** Post LASIK interface keratitis, Sands of the Sahara Syndrome, and microkeratome blades (letter). *J Cataract Refract Surg* 1999; 25: 603 ó 604.
- **Knorz MC.** Flap and interface complications in LASIK. *Curr Opin Ophthalmol* 2002; 13: 242 ó 245.
- **Khono T, Sorgente N, Goodnight R, Ryan SJ.** Alterations in the distribution of fibronectin and laminin in the diabetic human eye. *Invest Ophthalmol Vis Sci* 1987; 28: 515 - 521.
- **Kourenkov VV, Mytiagina ON, Kasparov AA, Pauluk AG.** Stimulating re-epithelialization after photorefractive keratectomy. *J Refract Surg* 1999; 15: 234 - 237.
- **Kumano Y, Matsui H, Zushi I, Mawatari A, Matsui T, Nishida T, Miyazaki M.** Recovery of corneal sensation after myopic correction by laser in situ keratomileusis whit a nasal o superior hinge. *J Cataract Refract Surg* 2003; 29: 757 ó 761.

- **Kuo IC, Ou R, Hwang DG.** Flap haze after epithelial debridement and flap hydration for treatment of post-laser in situ keratomileusis striae. Cornea 2001; 20: 339 ó 341.
- **Lane SS, Lindstrom RL, Williams PA, Lindstrom CW.** Polysulfone intracorneal lenses. J Refract Surg 1983; 1: 33 ó 40.
- **Lazaro C, Castillo A, Hernandez-Matamoros JL, Iradier MT, García-Feijoo J, Benítez del Castillo JM, Perea J, García-Sánchez J.** Laser in situ keratomileusis enhancement after photorefractive keratectomy. Ophthalmology 2001; 108: 1423 -1429.
- **Lee YG, Chen WY, Petroll WM, Cavanagh HD, Jeste JV.** Corneal haze after photorefractive keratectomy using different epithelial removal techniques. Ophthalmology 2001; 108: 112 - 120.
- **Lee DH, Seo S, Jeong KW, Shin S-C, Vukich JA.** Early spatial changes in the posterior corneal surface after laser in situ keratomileusis. J Cataract Refract Surg 2003; 29: 778 ó 784.
- **Lee YC, Hu FR, Wang IJ.** Quality of vision after laser in situ keratomileusis. Influence of dioptric correction and pupil size on visual function. J Cataract Refract Surg 2003; 29: 769 ó 777.
- **LI HF, Petroll WM, Moller-Pedersen T, Maurer JK, Cavanagh HD, Jester JV.** Epithelial and corneal thickness measurements by in vivo confocal microscopy through focusing (CMTF). Curr Eye Res 1997; 16: 214 - 221.

- **LI J, Jester JV, Cavanagh HD, Black TD, Petroll WM.** On-Line 3-dimensional confocal imaging in vivo. *Invest Ophthalmol Vis Sci* 2000; 41: 2945 - 2953.
- **Liang J, Williams DR, Miller DT.** Supernormal vision and high-resolution retinal imaging through adaptive optics. *J Opt Soc Am* 1997; 14: 2884 ó 2892.
- **Lindstrom RL.** Minimally invasive radial keratotomy: Mini-RK. *J Cataract Refract Surg* 1995; 21: 27 - 34.
- **Linna T, Tervo T.** Real time confocal microscopic observations on human corneal nerves after excimer laser photorefractive keratectomy. *Curr Eye Res* 1997; 16: 640 ó 649.
- **Linna TU, Perez-Santonja JJ, Tervo KM, Sakla HF, Alió JL, Tervo TMT.** Recovery of corneal nerve morphology following laser in situ keratomileusis. *Exp Eye Res* 1998; 66: 755 - 763.
- **Linna TU, Vesaluoma MH, Pérez-Santonja J, Petroll M, Alió JL, Tervo TM.** Effect of myopic LASIK on corneal sensitivity and morphology of subbasal nerves. *Invest Ophthalmol Vis Sci* 2000; 41: 393 - 397.
- **Linna TU, Vesaluoma MH, Petroll M, Tarkkanen AHA, Tervo TM.** Confocal microscopy of a patient with irregular astigmatism after lasik reoperations and relaxation incisions. *Cornea* 2000; 19: 163 - 169.

- **Litwak S, Zadok D, Garcia de Quevedo V, Robledo N, Chayet AS.** Laser-assisted subepitelial keratectomy versus photorefractive keratectomy for the correction of miopía: A prospective study. *J Cataract Refract Surg* 2002; 28: 1330 - 1333.
- **Liu Z, Huang AJ, Pfugfelder SC.** Evaluation of corneal thickness and topography in normal eyes using the ORBSCAN corneal topography system. *Br J Ophthalmol* 1999; 83: 774 - 778.
- **Liu KY, Lam D.** Direct measurement of microkeratome gap width by electron microscopy. *J Cataract Refract Surg* 2001; 27: 924 - 927.
- **Ludwig K.** Consequences of different ablation rates in Bowman's membrane and corneal stroma for photorefractive keratectomy. *Fortschr Ophthalmol* 1991; 88: 777 ó 780.
- **Lyle WA, Jin GJ.** Results of flap repositioning after laser in situ keratomileusis. *J Cataract Refract Surg* 2000; 26: 1451 - 1457.
- **Maldonado MJ, Ruiz-Oblitas L, Munuera JM, Aliseda D, Garcia-Layana A, Moreno-Montañes J.** Optical coherence tomography evaluation of the corneal cap and stromal bed features after laser in situ keratomileusis for high myopia and astigmatism. *Ophthalmology* 2000; 107: 81 - 87.
- **Maldonado-Codina C, Morgan PB., Efrom N.** Thermal consequences of photorefractive keratectomy. *Cornea* 2001; 20: 509 - 515.
- **Marco M, Pérez D, Marí J.** Cirugía de la alta miopía con lentes fáquicas de Worst-Fechner. Nuestra experiencia en 15 años. *Arch Soc Esp Oftalmol* 1995; 69: 327 -332.

- **Marinho A, Neves M, Pinto M, Vaz F.** Posterior chamber silicone phakic intraocular lens. *J Refract Surg*, 1997; 13: 219 - 222.
- **Marshall J, Trokel S, Rothery S, Schubert H.** An ultrastructure study of corneal incisions induced by an excimer laser at 193nm. *Ophthalmology* 1985; 92: 749 -758.
- **Marshall J, Trokel S, Rothery S.** Photoablative reprofiling of the cornea using an excimer laser: photorefractive keratectomy. *Lasers Ophthalmol* 1986; 1: 21 - 48.
- **Marsich MW, Bullimore MA.** The repeatability of corneal thickness measures. *Cornea* 2000; 19: 792 - 795.
- **Mastropasqua L, Nobile M.** Confocal microscopy of the cornea. Ed Slack incorporated, 2002.
- **Mathers WD, Goldberg MA, Sutphin JE, Ditkoff JV, Folberg R.** Coexistent Acanthamoeba keratitis and herpetic keratitis. *Arch Ophthalmol* 1997; 15: 714 - 718.
- **McDonald MB, Klyce SD, Kaufman HE.** Epikeratophakia for myopia correction. *Ophthalmology*. 1985; 92: 1417 - 1422.
- **McDonald MB, Kaufman HE, Durrie DS, Daniel S, Keates RH, Sanders DR.** Epikeratophakia for keratoconus. *Arch Ophthalmol* 1986; 104: 1294 - 1300.

- **McDonald MB, Kaufman HE, FrantznJM, Shofner S, Salmeron B, Klyce SD.** Excimer laser ablation in an human eye. Arch Ophthalmol 1989; 107: 641 - 642.
- **McDonald MB, Hersh PS, Manche EE, Maloney RK, Davidorf J, Sabry M.** Conductive keratoplasty for the correction of low to moderate hyperopia: US Clinical trial 1-year results on 355 eyes. Ophthalmology. 2002 ; 109: 1978 - 1990.
- **McLeod SD, Kisla TA, Caro NC, McMahon TT.** Iatrogenic keratoconus: corneal ectasia following laser in situ keratomileusis for myopía. Arch Ophthalmol 2000; 118: 282 ó 284.
- **Menezo JL, Cisneros AL, Harto M.** Extracapsular cataract extraction and implantation of a low power lens for high myopia. J Cataract Refract Surg 1988; 14: 409 - 412.
- **Menezo JL, Gúell JL.** Corrección quirúrgica de la alta miopía. Barcelona: Espaxs Publicaciones Médicas S.A. 2001.
- **Mitooka K, Ramirez M, Maguire LJ, Erie JC, Patel SV, McLaren JW, Hodge DO, Bourne WM.** Keratocyte density of central human cornea after laser in situ keratomileusis. Am J Ophthalmol 2002; 133: 307 - 314.
- **Modis L., Langenbucher A., Seitz B.** Scanning-slit and specular microscopic pachymetry in comparasion with ultrasonic determination of corneal thickness. Cornea 2001; 20: 711 - 714.

- **Mohan RR, Liang Q, Kim W-J, Helena MC, Baerveldt F, Wilson SE.** Apoptosis in the cornea: further characterization of Fas/Fas ligand system. *Exp Eye Res* 1997; 65: 575 - 589.
- **Moller-Pedersen T.** A comparative study of human corneal keratocyte and endothelial cell density during aging. *Cornea* 1997; 16: 333 - 338.
- **Moller-Pedersen T, Vogel M, Li HF, Petroll WM, Cavanagh HD, Jester JV.** Quantification of stromal thinning, epithelial thickness, and corneal haze after photorefractive keratectomy using *in vivo* confocal microscopy. *Ophthalmology* 1997; 104: 360 - 368.
- **Moller-Pedersen T, Cavanagh HD, Petroll WM, Jester JV.** Corneal haze development after PRK is regulated by volume of stromal tissue removal. *Cornea* 1998; 17: 627 - 639.
- **Moller-Pedersen T, Cavanagh HD, Petroll WM, Jester JV.** Neutralizing antibody TGF β modulates stromal fibrosis but not regression of photoablative effect following PRK. *Curr Eye Res* 1998; 17: 736 - 747.
- **Moller-Pedersen T, Li HF, Petroll WM, Cavanagh HD, Jester JV.** Confocal microscopic characterization of wound repair after photorefractive keratectomy. *Invest Ophthalmol Vis Sci* 1998; 39: 487 - 501.
- **Moller-Pedersen T, Cavanagh HD, Petroll WM, Jester JV.** Stromal wound healing explains refractive instability and haze development after photorefractive keratectomy. A 1-year confocal microscopy study. *Ophthalmology* 2000; 107: 1235 - 1245.

- **Moreno-Barriuso E., Merayo J, Marcos S, Navarro R, Llorente L, Barbero S.** Ocular aberrations before and after myopic corneal refractive surgery: LASIK-induced changes measured with laser ray tracing. *Invest Ophthalmol Vis Sci* 2001; 42: 1396 - 1403.
- **Mrochen M, Kaemmerer M, Seiler T.** Clinical results of wavefront-guided laser in situ keratomileusis 3 months after surgery. *J Cataract Refract Surg* 2001; 27: 201 ó 207.
- **Müller LJ, Pels L, Vrensen GFJM.** Ultrastructural organization of human corneal nerves. *Invest Ophthalmol Vis Sci* 1996; 37: 476 - 488.
- **Müller LJ, Vrensen GFJM, Pels L, Cardozo BN, Willekens B.** Architecture of human corneal nerves. *Invest Ophthalmol Vis Sci* 1997; 38: 985 - 994.
- **Munnerlyn CR, Koons JK, Marshall J.** Photorefractive keratectomy: a technique for laser refractive surgery. *J Cataract Refract Surg* 1988; 14: 46 - 52.
- **Mustonen RK, Mc Donald MB, Srivannaboon S, Tan AL, Doubrava MW, Kim CK.** Normal human corneal cell population evaluated by in vivo scanning slit confocal microscopy. *Cornea* 1998; 17: 485 - 492.
- **Nagy ZZ.** Laser in situ keratomileusis combined with topography-supported customized ablation after repeated penetrating keratoplasty. *J Cataract Refract Surg* 2003; 29: 792 ó 794.
- **Nakamura K, Bissen-Miyajima H, Toda I, Hori Y, Tsubota K.** Effect of laser in situ keratomileusis correction on contrast visual acuity. *J Cataract Refract Surg* 2001; 27: 357 - 361.

- **Naroo INC, Charman WN.** Changes in posterior corneal curvature after photorefractive keratectomy. *J Cataract Refract Surg* 2000; 26: 872 ó 878.
- **Neuhann T, Kelman C, Kaufman H, MacRae S, Waring IG.** Phakic Intraocular lenses *J Refract Surg*, 1998; 14: 272 ó 279.
- **Newsome DA, Gross J, Hassell JR.** Human corneal stroma contains three distinct collagen. *Invest Ophthalmol Vis Sci* 1982; 22: 376 - 77.
- **Niesen U, Businger U, Hartmann P, Senn P, Schiper I.** Glare sensitivity and visual acuity after excimer laser photorefractive keratectomy for myopia. *British J Ophthalmol* 1997; 81: 136 - 140.
- **Nishida, T., Nakamura, M., Murakami, J., Mishima, H., Otori T.** Epidermal growth factor stimulates corneal epithelial cell attachment to fibronectin through a fibronectin receptor system. *Invest Ophthalmol Vis Sci* 1992; 33: 2464 - 2469.
- **Oliveira-Soto L., Efron N.** Morphology of corneal nerves using confocal microscopy. *Cornea* 2001; 4: 374 - 384.
- **Päälysao, T., Tervo, T., Virtanen, Y., Tervo, K.** Integrin in the normal and healing corneal epithelium. *Acta Ophthalmol* 1992; 70: 22 - 25.
- **Pallikaris I, Papatzanaki ME, Statahi E, Frenschock O, Georgiadis A.** Laser in situ keratomileusis. *Lasers Surg Med* 1990; 10: 463 - 468.
- **Pallikaris I, Papatzanaki ME, Siganos DS, Tsilimbaris MK.** A corneal flap technique for laser in situ keratomileusis. Human studies. *Arch Ophthalmol* 1991; 109: 1699 ó 1702.

- **Pallikaris IG, Kymionis GD, Astyrakakis NI.** Corneal ectasia induced by laser in situ keratomileusis. *J Cataract Refract Surg* 2001; 27: 1796 - 1802.
- **Pallikaris IG, Katsanevaki VJ, Panagopoulou SI.** Laser in situ keratomileusis: intraoperative complications using one type of microkeratome. *Ophthalmology* 2002; 109: 57 - 63.
- **Park CK, Kim JH.** Comparison of wound healing after photorefractive keratectomy and laser in situ keratomileusis in rabbits. *J Cataract Refract Surg* 1999; 25: 842 - 850.
- **Patel SV, McLaren JW, Camp JJ, Nelson LR, Bourne WM.** Automated cuantification of keratocyte density by using confocal microscopy in vivo. *Invest Ophthalmol Vis Sci* 1999; 40: 320 - 326.
- **Patel S, Alió JL, Pérez-Santonja JJ.** A model to explain the difference between changes in refraction and central ocular surface power after laser in situ keratomileusis. *J Refract Surg* 2000 ; 16: 330 - 335.
- **Patel SV, McLaren JW, Hodge DO, Bourne W.** Normal human keratocyte density and corneal thickness measurements by using confocal microscopy in vivo. *Invest Ophthalmol Vis Sci* 2001; 42: 333 - 339.
- **Pérez-Santonja JJ, Bueno JL, Meza J, García-Sandoval B, Serrano JM, Zato MA.** Ischemic optic neuropathy after intraocular lens implantation to correct high myopia in a phakic patient. *J Cataract Refract Surg* 1993; 19: 651 - 654.

- **Pérez-Santonja JJ, Sakla HF, Cardona C, Ruiz-Moreno JM, Alió JL.** Subclinical inflammation after laser in situ keratomileusis. J Cataract Refract Surg 1994; 10: 413 - 416.
- **Pérez Santonja JJ, Iradier MT, Benitez del Castillo JM, Serrano JM, Zato MA.** Chronic subclinical inflammation in phakic eyes with intraocular lenses to correct myopia. J Cataract Refract Surg 1996; 22: 183 ó 187.
- **Pérez Santonja JJ, Iradier MT, Sanz Iglesias L, Serrano JM, Zato MA.** Endothelial changes in phakic eyes with anterior chamber intraocular lenses to correct high myopia. J Cataract Refract Surg 1996; 22: 1017 - 1022.
- **Pérez-Santonja JJ, Meza J, Moreno E, García-Hernandez MR, Zato MA.** Short term corneal endothelial cell changes after excimer láser photorefractive keratectomy for myopia. Arch Ophthalmol 1996; 103: 194 - 198.
- **Pérez-Santonja JJ, Bellot JL, Claramonte P, Ismail MM, Alió JL .** Laser in situ keratomileusis to correct high myopia. J Cataract Refract Surg 1997; 23: 372 - 385.
- **Pérez-Santonja J, Bueno J, Zato M.** Surgical correction of high myopia in phakic eyes with Worst-Fechner myopia intraocular lenses. J Refract Surg 1997; 13: 268 - 281.
- **Pérez Santonja JJ, Alió Sanz JL, Ismail MM, Sánchez-Pego JL.** Queratomileusis in situ con láser excimer: Resultados preliminares. Arch Soc Esp Oftalmol 1998; 73: 93 - 98.

- **Pérez-Santoja JJ, Linna TU, Tervo KM, Sakla HF, Alió JL, Tervo TMT.** Corneal wound healing after laser in situ keratomileusis. *J Refract Surg* 1998; 14: 602 - 609.
- **Pérez-Santoja JJ, Sakla HF, Alió JL.** Contrast sensitivity after laser in situ keratomileusis. *J Refract Surg* 1998; 24: 183 - 189.
- **Pérez-Santonja JJ, Ayala MJ, Sakla HF, Ruiz-Moreno JM, Alió JL.** Retreatment after laser in situ keratomileusis. *Ophthalmology* 1999; 106: 21 - 28.
- **Pérez-Santonja JJ, Ruiz-Moreno JM, de la Hoz F, Giner-Gorriti C, Alió JL.** Endophthalmitis after phakic intraocular lens implantation to correct high myopia. *J Cataract Refract Surg* 1999; 25: 1295 ó 1298.
- **Pérez-Santonja JJ, Sakla HF, Cardona C, Chipont E, Alió JL.** Corneal sensitivity after photorefractive keratectomy (PRK) and laser in situ keratomileusis (LASIK) for low myopia. *Am J Ophthalmol* 1999; 127: 497 - 504.
- **Pérez-Santonja JJ, Alió JL, Jimenez-Alfaro I, Zato MA.** Surgical correction of severe myopia with an angle-supported phakic intraocular lens. *J Cataract Refract Surg* 2000 ; 26: 1288 - 1302.
- **Peters NT, Iskander NG, Anderson EE, Woods D, Moore RA, Gimbel HV.** Diffuse lamellar keratitis: isolation of endotoxin and demonstration of the inflammatory potential in a rabbit laser in situ keratomileusis model. *J Cataract Refract Surg* 2001; 27: 917 - 923.
- **Petran M, Hadraovsky, M, Egger MD, Galambos R.** Tandem scanning reflected light microscope. *J Opt Soc Am* 1992; 58: 661 - 664.

- **Petroll WM, Cavanagh HD, Jester JV.** Clinical confocal microscopy. *Curr Op Ophthalmol* 1998; 9: 59 - 65.
- **Pfister DR, Cameron JD, Krachmer JH, Holland EJ.** Confocal microscopy findings of Acanthamoeba keratitis. *Am J Ophthalmol* 1996; 121: 119 - 128.
- **Pierro L, Conforto E, Resti AG, Lattanzio R.** High-frequency ultrasound biomicroscopy versus ultrasound and optical pachymetry for the measurement of corneal thickness. *Ophthalmologica* 1998; 212 : 1 - 3.
- **Pisella PJ, Auzerie O, Bokobza Y, Debbasch C, Pharm D, Baudouin C.** Evaluation of corneal stromal changes in vivo after in situ keratomileusis with confocal microscopy. *Ophthalmology* 2001; 108: 1744 - 1750.
- **Prydal JI, Franc F, Dilly PN, Kerr Muir MG, Corbett MC, Marshall J.** Keratocyte density and size in conscious humans by digital image analysis of confocal images. *Eye* 1998; 12: 337 - 342.
- **Puliafito CA, Steinert RF, Deutsch TF.** Excimer laser ablation of the cornea and lens. *Ophthalmology* 1985; 92: 741 - 748.
- **Quantock AJ, Bairaktaris G, Fullwood NJ, Ito M, Suzuki T, Kinoshita S.** Endotelial cell surface-associated keratan sulfate after excimer laser photoablation of the anterior rabbit cornea. *J Refract Surg* 1999; 15: 349 - 356.
- **Rabinowitz YS, Rasheed K.** KISA % index: a quantitative videokeratography algorithm embodying minimal topographic criteria for diagnosing keratoconus. *J Cataract Refract Surg* 1999; 25: 1327 ó 1335.

- **Rani A, Murthy BR, Sharma N, Titiyal JS, Vajpayee RB, Pandey RM, Singh R.** Posterior corneal topographic changes after retreatment LASIK. Ophthalmology 2002; 109: 1991 ó 1995.
- **Reinstein DZ, Silverman RH, Sutton HF, Coleman DJ.** Very high-frequency ultrasound corneal analysis identifies anatomic correlates of optical complications of lamellar refractive surgery: anatomic diagnosis in lamellar surgery. Ophthalmology 1999; 106: 474 - 482.
- **Reinstein DZ, Silverman RH, Raevsky T, Simoni GJ, Lloyd HO, Najafi DJ, Rondeau MJ, Coleman DJ.** Arc-scanning very high-frequency digital ultrasound for 3D pachymetric mapping of the corneal epithelium and stroma in laser in situ keratomileusis. J Refract Surg 2000; 16: 414 - 430
- **Reviglio VE, Bossana EL, Luna JD, Muino JC, Juárez CP.** Laser in situ keratomileusis for miopía and hyperopia using the lasersight in 300 consecutive eyes. J Refract Surg 2000; 16: 716 ó 723.
- **Rigal D.** Løepithelium cornéen. Paris: Massonm 1993: 28 - 49.
- **Rosenberg ME, Tervo MT, Petroll WM, Vesaluoma MH.** In vivo confocal microscopy of patients with corneal recurrent erosion syndrome or epithelial basement membrane dystrophy. Ophthalmology 2000; 107: 565 - 573.
- **Rowsey JJ, Balyeat HD.** Preliminary results and complications of radial keratotomy. Am J Ophthalmol 1982; 93: 437 - 455.
- **Ruckhofer J, Böhnke M, Alzner E, Grabner G.** Confocal microscopy after implantation of intraestromal corneal ring segments. Ophthalmology 2000; 107: 2144 - 2151.

- **Ruiz-Moreno JM, Alió JL, Perez-Santonja JJ, de la Hoz F.** Retinal detachment in phakic eyes with anterior chamber intraocular lenses to correct severe myopia. Am J Ophthalmol 1999; 127: 270 - 275.
- **Sano Y, Carr J, Takei K, Thompson KP, Stulting RD, Waring GO.** Videokeratography after excimer laser in situ keratomileusis for myopia. Ophthalmology 2000; 107: 674 - 684.
- **Saragoussi JJ, Puech M, Assouline M, Verges O, Renard G, Pouliquen Y.** Ultrasound Baikoff anterior chamber phakic intraocular lenses. J Refract Surg 1997; 13: 135 - 141.
- **Sato, T. and Wollensak, J.** A new surgical approach to myopia. Am J Ophthalmol 1953; 36: 823 - 829.
- **Schanzlin DJ, Abbott RL, Asbell PA, Assil KK, Burris TE, Durrie DS, Fouraker BD, Lindstrom RL, McDonald JE, Verity SM, Waring GO.** Two-year outcomes of intraestromal corneal ring segments for the correction of myopia. Ophthalmology 2001; 108: 1688 - 1694.
- **Seiler T, Bende T, Wollensak J.** Ablation rate of human corneal epithelium and Bowman's layer with the excimer laser (193 nm.). Refract Corneal Surg 1990; 6: 99 - 102.
- **Seiler T, Koufala K, Richter G.** Iatrogenic keratectasia after laser in situ keratomileusis. J Refract Surg 1998; 14: 312 ó 317.

- **Shah MN, Misra M, Wihelmus KR, Koch DD.** Diffuse lamellar keratitis associated with epithelial defects after laser in situ keratomileusis. *J Cataract Refract Surg* 2000; 26: 1312 - 1318.
- **Shahinian L.** Laser-assisted subepithelial keratectomy for low to high myopia and astigmatism. *J Cataract Refract Surg* 2002; 28: 1334 - 1342.
- **Shemesh G, Dotan G, Lipshitz I.** Predictability of corneal flap thickness in laser in situ keratomileusis using three different microkeratomes. *J Refract Surg* 2002; 18: 347 - 351.
- **Sheppard CJR and Shotton DM.** Confocal Laser Scanning Microscopy. Springer Verlag (ed). New York 1997.
- **Siganos D, Pallikaris I.** Clear lensectomy and intraocular lens implantation for hyperopia from +7.0 to +14.0 diopters. *J Refract Surg* 1998; 14: 105 - 113.
- **Slade S, Updegraff S.** Complications of automated lamellar keratectomy. *Arch Ophthalmol* 1995; 113: 1092 - 1093.
- **Smolin G, Thoft RA.** The cornea. 3^a edición. Boston: Little, Brown and Co., 1994.
- **Sotozono C, Inatomi T, Nakamura M, Kinoshita S.** Keratinocyte growth factor accelerates corneal epithelial wound healing in vivo. *Invest Ophthalmol Vis Sci* 1995; 36: 1524 - 1529.
- **Spadea L, Dragani T, Biasi MA, Mastrofini MC, Balestrazzi E.** Specular microscopy of the corneal endothelium after excimer laser photorefractive keratectomy. *J Cataract Refract Surg* 1996; 22: 188 - 193.

- **Spadea L, Cerrone L, Necozone S, Balestrazzi E.** Flap measurements with the Hansatome microkeratome. *J Refract Surg* 2002; 18: 149 ó 154.
- **Strampelli B.** Anterior chamber lenses. *Arch Ophthalmol* 1954; 66: 12 ó 17.
- **Stulting RD, Thompson KP, Waring G, Lynn M.** The effect of photorefractive keratectomy on the corneal endothelium. *Ophthalmology* 1996; 103: 1357 - 1365.
- **Sudar Raj N, Rizo JD, Anderson SC, Gesiatto JP.** Expresion of vimentin by rabbit corneal epithelial cells during wound repair. *Cell Tissue Res* 1992; 267: 347 - 356.
- **Sutphin JE, Kantor AL, Mathers WD, Mehaffey MG.** Evaluation of infectious crystalline keratitis with confocal microscopy in a case series. *Cornea* 1997; 16: 21 - 26.
- **Sugar A.** Ultrafast (femtosecond) laser refractive surgery. *Curr Opin Ophthalmol*. 2002; 13 : 246 - 249
- **Sugar A, Rapuano CJ, Culbertson WW, Huang D, Varley GA, Agapitos PJ, de Luise VP, Koch DD.** Laser in situ keratomileusis for myopia and astigmatism: safety and efficacy: a report by the American Academy of Ophthalmology. *Ophthalmology* 2002; 109: 175 ó 87.
- **Tamura Y, Konomi H, Sawada H, Takashima S, Nakajima A.** Tissue distribution of type VIII collagen in human adult and fetal eyes. *Invest Ophthalmol Vis Sci* 1991; 32: 2636 - 2644.
- **Taylor DM, Stern AL, Romanchok KG.** Keratophakia: Clinical evaluation. *Ophthalmology* 1981; 88: 1141 - 1150.

- **Tervo K, Latvala TM, Tervo TMT.** Recovery of corneal innervation following photorefractive keratoablation. *Arch Ophthalmol* 1994; 112: 1466 - 1470.
- **Thompson FB, Turner AF.** Computed axial tomography on highly myopic eyes following scleral reinforcement surgery. *Ophthalmic Surg* 1992; 23: 253 - 259.
- **Tole DM, McCarty DJ, Couper T, Taylor HR.** Comparison of laser in situ keratomileusis and photorefractive keratectomy for the correction of myopia of - 6.00 diopters or less. Melbourne Excimer Laser Group. *J Refract Surg* 2001; 17: 46 - 54.
- **Trocme SD, Mack KA, Gill KS, Gold DH, Milstein BA, Bourne WM.** Central and peripheral endothelial cell changes after excimer laser photorefractive keratectomy for myopia. *Arch Ophthalmol* 1996; 114: 925 - 928.
- **Trokel SL, Srinivasan R, Braren B.** Excimer Laser surgery of the cornea. *Am J Ophthalmol* 1983; 96: 710 - 715.
- **Verzella, F.** Microsurgery of the lens in high myopia for optical purposes. *Cataract* 1984; 1: 8 - 12.
- **Vesaluoma MH, Linna TU, Sankila E-M, Weiss JS, Tervo TMT.** In vivo confocal microscopy of a family with Schnyder crystalline corneal dystrophy. *Ophthalmology* 1999; 106: 944 - 951.
- **Vesaluoma MH, Pérez-Santonja J, Petroll M, Linna TU, Alió JL, Tervo TMT.** Corneal stromal changes induced by myopic LASIK. *Invest Ophthalmol Vis Sci* 2000; 41: 369 - 376.

- **Vesaluoma MH, Petroll WM, Perez-Santonja JJ, Valle TU, Alió JL, Tervo TM.** Laser in situ keratomileusis flap margin: wound healing and complications imaged by in vivo confocal microscopy. Am J Ophthalmol 2000; 130: 564 - 573.
- **Vesaluoma MH, Sankila E-M, Gallard J, Muller LJ, Petroll WM, Moilanen JAO, Forsius H, Tervo TMT.** Autosomal recessive cornea plana: in vivo corneal morphology and corneal sensitivity. Invest Ophthalmol Vis Sci 2000; 41: 2120 -2126.
- **Wachler BS, Durrie DS, Assil KK, Krueger RR.** Role of clearance and treatment zones in contrast sensitivity: significance in refractive surgery. J Cataract Refract Surg 1999; 25: 16 ó 23.
- **Walker MB, Wilson SE.** Lower intraoperative flap complication rate with the Hansatome microkeratome compared to the Automated Corneal Shaper. J Refract Surg 2000; 16: 79 ó 82.
- **Wang Z, Chen J, Yang B.** Comparison of laser in situ keratomileusis and photorefractive keratectomy to correct myopia from -1.25 to - 6.00 diopters. J Refract Surg 1997; 13: 528 - 534.
- **Wang Z, Chen J, Yang B.** Posterior corneal surface topographic changes after laser in situ keratomileusis are related to residual corneal bed thickness. Ophthalmology 1999; 106: 406 ó 410.
- **Wang J, Fonn D, Simpson TL, Jones L.** Relation between optical coherence tomography and optical pachymetry measurements of corneal swelling induced by hypoxia. Am J Ophthalmol 2002; 134: 93 - 98.
- **Waring GO III.** Refractive keratotomy for myopia and astigmatism. C.V. Mosby, St Louis, 1992.

- **Waring GO, Lynn MJ, McDonnel PJ, and the PERK study group.** Results of the prospective evaluation of radial keratotomy (PERK) study 10 years after surgery. *Arch Ophtahlmol* 1994; 112: 1298 - 1308.
- **Waring GO III.** Standard Graphs for reporting refractive surgery. *J Refract Surg* 2000; 16: 459 - 466.
- **Werblin TP, Klyce SD.** Epikeratophakia: the surgical correction of aphakia. Lathing of corneal tissue. *Curr Eye Res* 1981; 1: 123 - 129.
- **Werner LP, Werner L, Dighiero P, Legeais JM, Renard G.** Confocal microscopy in Bowman and stromal corneal dystrophies. *Ophthalmology* 1999; 106: 1697 - 1704.
- **Wheeler NC, Morantes CM, Kristensen RM.** Reliability coefficients of three corneal pachymeters. *Am J Ophthalmol* 1992; 113: 645 ó 651.
- **Wiegand W, Thaer AA, Kroll P, Geyer OC, García AJ.** Optical sectioning of the cornea with a new confocal in vivo slit-scanning videomicroscope. *Ophthalmology* 1995; 102: 566 - 575.
- **Wilhelm F, Giessmann T, Hanschke R, Duncker G.** Cutting edges after automatic lamellar keratotomy. *Klin Monatsbl Augenheilkd* 1998; 213: 293 ó 300.
- **Wilson SE, He Y-G, Weng J, Li Q, McDowall AW, Vital M, Chwang EL.** Epithelial injury induces keratocyte apoptosis: hypothesized role for the interleukin-1 system in the modulation of corneal tissue organization and wound healing. *Exp Eye Res* 1996; 62: 325 - 338.

- **Wilson, S. E., Kim, W.J.** Keratocyte apoptosis: implications on corneal wound healing, tissue organization, and disease. *Invest Ophthalmol Vis Sci* 1998; 39: 220 - 226.
- **Wilson SE, Hong JW.** Bowman's layer structure and function. Critical or dispensable to corneal function? A hypothesis. *Cornea* 2000; 19: 417 - 420.
- **Wilson SE.** Laser in situ keratomileusis-induced neurotrophic epitheliopathy. *Ophthalmology* 2001; 108: 1082 - 1087.
- **Winchester K, Mathers WD, Sutphin JE, Daley TE.** Diagnosis of acanthamoeba keratitis in vivo with confocal microscopy. *Cornea* 1995; 14: 10 - 17.
- **Woods RL, Bradley A, Atchison DA.** Consequences of monocular diplopia for the contrast sensitivity function. *Vision Res* 1996; 36: 3587 - 3596.
- **Worst J, Van Der Heijde G, Los L.** Refractive surgery for high myopia: The Worst-Fechner biconcave iris claw lens. *Ophthalmol* 1990; 75: 335 - 341.
- **Yaylali V, Kaufman SC, Thompson HW.** Corneal thickness measurements with the ORBSCAN topography system and ultrasonic pachymetry. *J Cataract Refract Surg* 1997; 23: 1345 - 1350.
- **Yi WM, Joo CK.** Corneal flap thickness in laser in situ keratomileusis using an SCMD manual microkeratome. *J Cataract Refract Surg* 1999; 25: 1087 - 1092.
- **Yildirim R, Aras C, Ozdmar A, Bahcecioglu H, Ozkan S.** Reproducibility of corneal flap thickness in laser in situ keratomileusis using the hansatome microkeratome. *J Cataract Refract Surg* 2000; 26: 1729 - 1732.

- **Yildirim R, Devranoglu K, Ozdamar A, Aras C, Ozkiris A, Ozkan S.** Flap complications in our learning curve of laser in situ keratomileusis using the Hansatome microkeratome. Eur J Ophthalmol 2001; 11: 328 ó 332.
- **Zaldivar R., Davidorf JM, Oscherow S.** Posterior chamber phakic intraocular lens for myopia of - 8 to ó19 diopters. J. Refract Surg 1998; 14: 294 ó 305.

